



BLDC Motor

More than 90% of, motor efficiency, gearless direct drive motor, no need for regular lubrication maintenance.



Energy Saving

Series 3 achieve carborn neutral by saving 55% power consumption and save more than 43,212 trees. (Based on Fan Size:3M)



Silence Design

Patented airfoil design, it reduces the wind noise and provides smooth airflow.



Safety First

Sunon applied unibody yoke to prevent potential risks from cracking or rusting if yoke production process is not proper.

► Specification

Diameter	2.5 m (8 ft)	3 m (10 ft)		3.6 m (12 ft)		4.2 m (14 ft)
Weight	27.39 kg	29.77 kg		32.57 kg		35.44 kg
Speed	150 RPM	100 RPM		70 RPM		56 RPM
Power Consumption	335 W	232 W		176 W		171 W
Noise	<40 dB(A)					
Power source	200–240 VAC					
Environment	Indoor					
Control	RF Controller/BMS(MODBUS)/AloT/Touch Panel					

^{*}Weight - fan unit only, the controller, the mount and the extension tube are not included.


^{*}Environment -This product is not suitable for salt air environments.

^{*} The above specifications are test from SUNON Lab and the data will be affected by different environmental conditions.


^{*} Specifications are subject to change without notice. Final spec. please visit SUNON website at www.sunon.com.



► Air Volume



▶ The Placement & Clearance between Fan and Obstructions



► Facility Type

exhibition hall, bookstore, cafe, library, museum, office, meeting room, hotel lobby, hospital, fitness center, home, factory, warehousing

AUTHORISED DISTRIBITOR









Hamilton Air Technology JSC Showroom/Office: 184 Tran Luu, An Phu, Thu Duc City, HCMC, Vietnam



SUNON®

Sunonwealth Electric Machine Industry Co., Ltd.

TEL: +886-7-8135888 E-mail: sunon@sunon.com

